



Farm Hardware



Quick pins
Safety pins
Hitch pins
Linch pins
Hair pins
Top links



FARM HARDWARE



Weather Caps

Clear zinc plated steel. Single bolt installation, silencer block, heat resistant rivets and bushings.

PART#	FITS PIPE DIAMETER	PART#	FITS PIPE DIAMETER
11200	1-1/2" – 1-11/16"	11206	3" – 3-3/16"
11201	1-3/4" – 1-15/16"	11207	3-1/2" – 3-11/16"
11202	2" – 2-3/16"	11208	4" – 4-3/16"
11203	2-1/4" – 2-7/16"	11209	4-1/2" – 4-11/16"
11204	2-1/2" – 2-11/16"	11210	5" – 5-1/4"
11205	2-3/4" – 2-15/16"		



Universal Tail Pipe Hanger

PART#	DESCRIPTION
11220	Open end design for use with assembled clamps.



Muffler Clamps

Clear zinc plated. 3/8" (8.3 mm) wire diameter.

PART#	SIZE	PART#	SIZE	PART#	SIZE
11225	1-1/2"	11231	2-1/4"	11236	4"
11226	1-5/8"	11232	2-1/2"	11237	4-1/2"
11227	1-3/4"	11233	2-3/4"	11238	5"
11228	1-7/8"	11234	3"	11239	5-1/2"
11229	2"	11235	3-1/2"	11240	6"
11230	2-1/8"				



Stroke Control Segment Kits

For air & hydraulic cylinders. Cast aluminum alloy.

PART#	FITS SHAFT DIAMETER	SPACER WIDTH (1 EACH)	PACKAGING
55000	1-1/8" to 1-1/4"	3/4", 1", 1-1/4" & 1-1/2"	Clamshell
55001	1-3/8" to 1-1/2"	3/4", 1", 1-1/4" & 1-1/2"	Clamshell
55002	2"	1", 1-1/2", 2", 4-1/4"	Polybag



Stroke Control Segments

PART#	FITS SHAFT DIAMETER	WIDTH	PART#	FITS SHAFT DIAMETER	WIDTH
55003	1-1/8" – 1-1/4"	3/4"	55009	1-3/8" – 1-1/2"	1-1/4"
55004	1-1/8" – 1-1/4"	1"	55011	2"	1"
55005	1-1/8" – 1-1/4"	1-1/4"	55012	2"	1-1/2"
55007	1-3/8" – 1-1/2"	3/4"	55013	2"	2"
55008	1-3/8" – 1-1/2"	1"	55014	2"	4-1/4"



Sizes are approximate. Specifications subject to change without notice.



Farm Hardware

Stroke Control • Cylinder Pins • Tractor Hooks • Clevises



Farm Hardware



Stroke Control Stopper Blocks

PART#	SIZE	FITS SHAFT DIAMETER
56006	1/2"	1" to 1-1/2"
56010	3/8"	1-1/2" to 2"



Cylinder Pins

For air & hydraulic cylinders. Supplied with clips. S.A.E. 1018-1020 carbon steel hot rolled formed. Includes #66311 Hair Pin.


PART#	PIN DIAMETER	USABLE LENGTH
55030	1"	2-3/4"
55031	1"	3"



Tractor Drawbar Hook

Forged steel. Black enamel painted body & zinc plated T-Pin. Supplied with #66305 Hair Pin.

PART#	CHAIN	A	PIN DIAMETER	PIN LENGTH	OVERALL LENGTH	W.L.L.
66040	5/16"-1/2"	1-5/8"	3/4"	3"	7"	9,200 lb



Straight Clevises

Forged steel. Black enamel painted body & zinc plated T-Pin. Supplied with Hair Pin.

PART#	BODY DIAMETER	PIN DIAMETER	A	B	C	W.L.L.	U.L.L.
66029	5/8"	1/2"	3-1/4"	2"	7/8"	6,000 lb	18,000 lb
66030	3/4"	5/8"	3-3/4"	2-1/4"	1-5/16"	12,000 lb	36,000 lb
66031	7/8"	3/4"	4-1/4"	2-3/4"	1-5/16"	16,000 lb	48,000 lb
66032	15/16"	7/8"	4-5/8"	3-1/8"	1-7/16"	20,000 lb	60,000 lb
66033	1"	1"	5-5/16"	3-5/16"	2-1/8"	25,000 lb	75,000 lb



Steering Wheel Spinners

Vinyl coated aluminum knob with chrome plated base. Ball bearing insert for long life. Safe and easy for use with most off-road vehicles.

Not for highway use.

PART#	COLOR	QUANTITY
28327	Red	12 pieces per display box
28329	Black	12 pieces per display box


Sizes are approximate. Specifications subject to change without notice.



Industrial Safety Pins

Oil tempered steel. Clear zinc plated finish.


PART#	WIRE	A	B	PACKAGE QUANTITY
66470	1/8"	3-1/8"	1-1/16"	10
66472	3/16"	3-3/8"	1-1/2"	5
66474	1/4"	5-1/4"	1-3/4"	5
66489	3/32"	1-11/16"	5/8"	10
66490	1/8"	2-13/16"	13/16"	10
66491	3/16"	3"	1-1/2"	5
66492	5/32"	3-3/4"	1-1/8"	5
66493	15/64"	5"	1-5/8"	5
66494	15/64"	5"	2-1/4"	5



Wire Ring Quick Release Pins

Spring-loaded ball locks pin into place. C-1144 zinc plated carbon steel pin (detent pin).


PART#	A	B	PACKAGE QUANTITY	PART#	A	B	PACKAGE QUANTITY
66499	1/4"	1"	5	66515	3/8"	1-1/2"	5
66500	1/4"	1-1/2"	5	66516	3/8"	2"	5
66501	1/4"	2"	5	66518	3/8"	2-1/2"	5
66503	1/4"	2-1/2"	5	66519	3/8"	3"	5
66505	1/4"	3"	5	66520	3/8"	3-1/2"	5
66507	5/16"	1"	5	66524	1/2"	1"	5
66508	5/16"	1-1/2"	5	66525	1/2"	1-1/2"	5
66509	5/16"	2"	5	66526	1/2"	2"	5
66510	5/16"	2-1/2"	5	66527	1/2"	2-1/2"	5
66511	5/16"	3"	5	66528	1/2"	3"	5
66514	3/8"	1"	5	66530	1/2"	3-1/2"	5



Quick Release Pins

Red vinyl coated, solid handle.


PART#	A	B	PART#	A	B
66760	1/2"	3"	66768	3/4"	1-1/2"
66762	5/8"	1-1/2"	66769	3/4"	2"
66763	5/8"	2"	66770	3/4"	2-1/2"
66764	5/8"	2-1/2"	66771	3/4"	3"
66765	5/8"	3"	66772	3/4"	4"
66767	5/8"	5"	66773	3/4"	5"



Hitch Pin - Round Ring Grip

S.A.E. 1020 high strength stress-proof steel. Clear zinc plated finish. Supplied with hair pin clip.

PART#	PIN DIAMETER (A)	USABLE LENGTH (B)	MIN. BREAK LOAD	HAIR PIN CLIP
66250	3/8"	3"	10,521 lbs	66301




Sizes are approximate. Specifications subject to change without notice.



Farm Hardware

Hitch Pins



Hitch Pins - Fold Over Handle With Chain

C-1045 stress-proof steel. Heat-treated. Rockwell hardness 25-34 (HRC) Yellow zinc dichromate plated finish. Supplied with 66451 lynch pin & tenso chain.

PART#	PIN DIAMETER (A)	USABLE LENGTH (B)	M.B.L. (MIN. BREAK LOAD)
66280	1/2"	4-1/4"	20,100 lb
66281	5/8"	4-1/4"	28,400 lb
66282	5/8"	6-1/4"	28,400 lb
66283	3/4"	4-1/4"	40,000 lb
66284	3/4"	6-1/4"	40,000 lb
66285	7/8"	6-1/4"	58,364 lb
66286	1"	6-1/4"	81,170 lb
66287	1-1/8"	6-1/4"	97,701 lb
66288	1-1/4"	6-1/4"	124,198 lb



Hitch Pins - Fold Over Handle

C-1045 stress-proof steel. Heat-treated. Rockwell Hardness 25-34 (HRC) Yellow zinc dichromate plated finish. Supplied with hair pin.

PART#	PIN DIAMETER (A)	USABLE LENGTH (B)	M.B.L. (MIN. BREAK LOAD)	HAIR PIN CLIP #
66780	1/2"	4-1/4"	20,100 lb	66303
66781	5/8"	4-1/4"	28,400 lb	66305
66782	5/8"	6-1/4"	28,400 lb	66305
66783	3/4"	4-1/4"	40,000 lb	66302
66784	3/4"	6-1/4"	40,000 lb	66302
66785	7/8"	6-1/4"	58,364 lb	66302
66786	1"	6-1/4"	81,170 lb	66304
66787	1-1/8"	6-1/4"	97,701 lb	66304
66788	1-1/4"	6-1/4"	124,198 lb	66304



Hitch Pins - E-Grip

One piece solid hot forged alloy steel pin and handle. Wider ergonomic handle. Clip pin is included. Bright orange powder coat finish.

PART#	PIN DIAMETER (A)	USABLE LENGTH (B)	HAIR PIN CLIP #
66872	1/2"	3-1/2"	66303
66873	5/8"	3-3/4"	66305
66874	3/4"	4"	66302
66875	5/8"	6"	66305
66876	3/4"	6-1/4"	66302
66877	7/8"	6-1/2"	66304
66878	1"	6-3/4"	66304

Sizes are approximate. Specifications subject to change without notice.



Farm Hardware




High Strength Hitch Pins - Grade 5

S.A.E. 1040 stress-proof steel. Grade 5 specification. Rockwell Hardness 25-34 (HRC). Black powder-coated enamel pin. Red vinyl dipped handle. Supplied with hair pin clip.

PART#	PIN DIAMETER (A)	USABLE LENGTH (B)	STEEL TYPE (S.A.E.)	STEEL GRADE	MIN. BREAK LOAD	HAIR PIN CLIP #
66251	1/2"	3-5/8"	1040	MS	33,586 lb	66303
66252	5/8"	4"	1040	EN-8	38,779 lb	66305
66253	3/4"	4-1/2"	1040	EN-8	38,064 lb	66302
66254	7/8"	4-1/2"	1040	EN-8	47,021 lb	66304
66255	1"	4-1/2"	1040	EN-8	63,814 lb	66304
66256	5/8"	5-1/2"	1040	EN-8	38,779 lb	66305
66257	3/4"	6-1/2"	1040	EN-8	38,064 lb	66302
66258	7/8"	6-1/2"	1040	EN-8	47,021 lb	66302
66259	1"	7-1/2"	1040	EN-8	63,814 lb	66304
66260	1-1/8"	8-1/2"	1040	EN-8	69,412 lb	66304
66261	1-1/4"	8-1/2"	1040	EN-8	75,010 lb	66304
66263	1-1/2"	8-1/2"	1040	EN-8	78,368 lb	66304
66886	1"	12"	1040	EN-8	64,934 lb	66304
66887	1-1/8"	12"	1040	EN-8	73,890 lb	66304
66888	1-1/4"	12"	1040	EN-8	76,129 lb	66304
66889	1-1/2"	13"	1040	EN-8	80,607 lb	66304
66890	1-3/4"	13"	1040	EN-8	85,086 lb	66455 (Linch pin)


MS = Mild Steel



High Strength Hitch Pins - Grade 8

Grade 8 forged blue head hitch pins. Chromium and molybdenum alloy steel and heat treated to Grade 8 specification. Superior black powder coated finish on pin. Blue vinyl coating on head and handle. Hair pin clip is included.

PART#	PIN DIAMETER (A)	USABLE LENGTH (B)	STEEL TYPE (S.A.E.)	STEEL GRADE	MIN. BREAK LOAD	HAIR PIN CLIP #
66860	1/2"	3-5/8"	1040	EN-8	36,945 lb	66303
66861	5/8"	4"	1040	EN-8	38,064 lb	66305
66862	5/8"	6"	1040	EN-8	39,184 lb	66305
66863	3/4"	4"	1040	EN-8	45,901 lb	66302
66864	3/4"	6-1/2"	1040	EN-8	47,021 lb	66302
66865	7/8"	4-1/4"	1040	EN-8	52,619 lb	66304
66866	7/8"	6-1/2"	1040	EN-8	51,499 lb	66304
66867	1"	4-3/4"	1040	EN-8	61,575 lb	66304
66868	1"	7"	1040	EN-8	62,695 lb	66304
66869	1-1/8"	7"	1040	EN-8	72,770 lb	66304
66870	1-1/4"	7"	1040	EN-8	76,129 lb	66304
66871	1-1/2"	8-1/2"	1040	EN-8	80,607 lb	66304



Sizes are approximate. Specifications subject to change without notice.



Farm Hardware

Hitch Pins • Lynch Pins • Spring Lock Pins



Farm Hardware




Forged Steel Hitch Pins

Hot forged, heat treated Grade 8, SAE-1541H steel. Solid handle. Bright orange powder coat finish. Supplied with clip. (Sold individually)

PART#	PIN DIAMETER (A)	USABLE LENGTH (B)	STEEL TYPE (S.A.E.)	STEEL GRADE	MIN. BREAK LOAD	COMPATIBLE HAIR PIN CLIP #
66882	1-1/8"	7"	1040	EN-8	73,890 lb	66304
66883	1-1/4"	7"	1040	EN-8	77,249 lb	66304
66884	1-3/8"	7"	1040	EN-8	82,846 lb	66455 (Linch pin)
66885	1-1/2"	8"	1040	EN-8	80,607 lb	66455 (Linch pin)


4 Piece Dynapak



Lynch Pins - Packaged

Forged C-1010 steel pin. Rockwell hardness RA 50-60. Yellow zinc dichromate plated finish. Two package options: 10 piece bag and 4 piece Dynapak.

PART# (10 PIECE BAG)	PART # (4 PIECE DYNAPAK)	PIN DIAMETER (A)	USABLE LENGTH (B)	RING DIAMETER (C)
66450	96450	3/16"	1-1/8"	1-3/8"
66451	96451	1/4"	1-1/2"	1-11/16"
66452	96452	5/16"	1-7/16"	1-3/4"
66453	96453	3/8"	1-7/16"	1-11/16"
66454	96454	7/16"	1-9/16"	1-5/8"
66455	96455	7/16"	1-7/8"	2-1/8"



Spring Lock Pins

C-1144 stress-proof steel. Clear zinc plated finish. (Sold Individually)

PART#	PIN DIAMETER (A)	USABLE LENGTH (B)
66244	1/2"	4-1/4"
66245	5/8"	4-1/4"
66246	3/4"	4-1/4"


Sizes are approximate. Specifications subject to change without notice.



Round Quick Pins


C-10105 Grade 5 steel. Clear zinc plated finish. Available in two package types: Bag and Dynapak (quantities in each are seen below)

BAG PACK		DYNAPAK					
PART#	PACKAGE QUANTITY	PART #	PACKAGE QUANTITY	PIN DIAMETER (A)	USABLE LENGTH (B)	C	D
66460	5	96460	2	1/4"	1-3/8"	1-5/8"	1-5/8"
66461	5	96461	2	1/4"	1-3/4"	1-5/8"	2"
66463	5	96463	2	5/16"	1-3/8"	1-5/8"	1-5/8"
66464	5	96464	2	5/16"	1-3/4"	1-5/8"	2"
66466	5	96466	2	3/8"	1-3/8"	1-5/8"	1-5/8"
66469	1	96469	1	5/8"	3-1/8"	2"	3-1/2"



Square Quick Pins


BAG PACK		DYNAPAK					
PART#	PACKAGE QUANTITY	DYNAPAK	PACKAGE QUANTITY	PIN DIAMETER (A)	USABLE LENGTH (B)	C	D
66462	5	96462	2	1/4"	2-1/2"	1-5/8"	2-3/4"
66465	5	96465	2	5/16"	2-1/2"	1-5/8"	2-3/4"
66467	5	96467	2	3/8"	2-1/4"	1-5/8"	2-1/2"
66468	5	96468	2	3/8"	2-1/2"	1-5/8"	2-3/4"



Round Tab Type Quick Pins

Easier to use than standard wire lock pins. C-1010 steel. Clear zinc plated finish.

PART#	PACKAGE QUANTITY	PIN DIAMETER (A)	USABLE LENGTH (B)	C	D
66531	5	1/4"	1-5/8"	1-5/8"	2-1/8"
66532	5	1/4"	2"	1-5/8"	2-3/16"
66533	5	1/4"	2-3/4"	1-5/8"	3-1/8"
66534	5	5/16"	1-5/8"	1-5/8"	2-1/8"
66535	5	5/16"	2"	1-5/8"	2-3/16"
66536	5	5/16"	2-3/4"	1-5/8"	3-1/8"
66537	5	3/8"	1-5/8"	1-5/8"	2-1/2"
66538	5	3/8"	2-1/2"	1-5/8"	2-11/16"
66539	5	3/8"	2-3/4"	1-5/8"	3-1/8"



Sizes are approximate. Specifications subject to change without notice.



Farm Hardware



Hair Pin Clips

Hair Pin Clips - Internal

Oil tempered MB spring wire. Clear zinc plated finish. Available in two package types: Bag and Dynapak (quantities in each are seen below)

BAG PACK		DYNAPAK		IND.#	WIRE DIAMETER	DRILL HOLE SIZE	MIN. SHAFT DIAMETER	MAX. SHAFT DIAMETER	OVERALL LENGTH	INSIDE EYE DIAMETER
PART#	PACKAGE QUANTITY	PART #	PACKAGE QUANTITY							
66300	25	96300	10	22	1/16"	5/64"	1/4"	1/2"	1-3/8"	1/4"
66301	25	96301	10	3	3/32"	7/64"	1/4"	1/2"	1-11/16"	7/16"
66302	25	96302	4	6	3/16"	3/16"	5/8"	1"	3-1/4"	7/8"
66303	25	96303	10	7	3/32"	7/64"	3/8"	5/8"	2-5/16"	5/8"
66304	25	96304	5	8	3/16"	3/16"	7/8"	1-1/4"	3-3/4"	7/8"
66305	25	96305	5	9	5/32"	5/32"	3/4"	1-1/8"	3-5/16"	3/4"
66306	25	96306	5	11	1/8"	9/64"	7/16"	3/4"	2-5/8"	9/16"
66307	25	96307	10	16	1/8"	9/64"	1/2"	3/4"	2"	1/2"
66308	10	96308	3	19	1/4"	17/64"	3/4"	1"	4-1/4"	3/4"
66309	25	NA	10	1	5/32"	5/32"	1/2"x5/8"	5/8"x1"	3"	1/2"
66310*	25	NA	10	2	1/8"	9/64"	3/4"	1-1/8"	3-1/4"	1"
66313	25	NA	4	4	11/64"	3/16"	1/2"x3/4"	5/8"x1"	3"	5/8"
66317	25	NA	10	17	3/32"	3/32"	3/8"	1/2"	1-9/16"	5/16"
66318	25	NA	5	18	1/16"	5/64"	3/8"	1/2"	1-9/16"	5/16"
66320	10	NA	5	20	5/16"	21/64"	7/8"	1"	4"	7/8"
66325	25	NA	5	25	5/64"	5/64"	5/16"	3/8"	1-3/32"	9/64"
66326	25	NA	10	10	5/32"	5/32"	5/8"	1"	2-15/16"	3/4"
66328	25	NA	3	14	3/32"	7/64"	1/2"	3/4"	2-1/2"	5/8"

*66310 - Rounded head, see image below.



Reference Chart Available

See end of catalogue



Hair Pin Clips - External

Oil tempered MB spring wire. Clear zinc plated finish. Available in two package types: Bag and Dynapak (quantities in each are seen below)

BAG PACK		DYNAPAK		IND.#	WIRE DIAMETER	OVERALL LENGTH	INSIDE EYE DIAMETER
PART#	PACKAGE QUANTITY	DYNAPAK	PACKAGE QUANTITY				
66311	25	96311	5	7XX	7/64"	2-1/16"	7/16"
66312	25	96312	4	10X	11/64"	2-5/8"	3/4"

Sizes are approximate. Specifications subject to change without notice.



Farm Hardware





Bronze Bushings

S.A.E. 841 Bronze material. Oil impregnated.

PART#	THICKNESS	INNER DIAMETER	OUTER DIAMETER	LENGTH	PART#	THICKNESS	INNER DIAMETER	OUTER DIAMETER	LENGTH
55300	1/32"	1/4"	5/16"	3/4"	55326	1/16"	7/8"	1"	1-1/4"
55301	1/16"	1/4"	3/8"	1"	55327	1/8"	7/8"	1-1/8"	1-1/4"
55302	3/32"	1/4"	7/16"	1"	55328	3/16"	7/8"	1-1/4"	1-1/4"
55303	1/8"	1/4"	1/2"	1"	55329	5/32"	15/16"	1-1/4"	1-1/4"
55304	1/32"	5/16"	3/8"	1"	55330	1/8"	1"	1-1/4"	1-1/2"
55305	1/16"	5/16"	7/16"	1"	55331	3/16"	1"	1-3/8"	1-1/2"
55306	1/16"	3/8"	1/2"	1"	55332	1/4"	1"	1-1/2"	1-1/2"
55307	1/8"	3/8"	5/8"	1"	55333	1/8"	1-1/16"	1-5/16"	1-1/2"
55308	3/16"	3/8"	3/4"	1"	55334	1/16"	1-1/8"	1-1/4"	1-1/2"
55309	1/16"	7/16"	9/16"	1"	55335	1/8"	1-1/8"	1-3/8"	1-1/2"
55310	3/32"	7/16"	5/8"	1"	55336	3/16"	1-1/8"	1-1/2"	1-1/2"
55311	1/16"	1/2"	5/8"	1"	55337	1/8"	1-3/16"	1-7/16"	1-1/2"
55312	3/32"	1/2"	11/16"	1"	55338	5/32"	1-3/16"	1-1/2"	1-1/2"
55313	1/8"	1/2"	3/4"	1"	55339	1/8"	1-1/4"	1-1/2"	1-1/2"
55314	5/32"	1/2"	13/16"	1"	55340	3/16"	1-1/4"	1-5/8"	1-1/2"
55315	3/16"	1/2"	7/8"	1"	55341	1/8"	1-3/8"	1-5/8"	1-1/2"
55316	3/32"	9/16"	3/4"	1"	55342	3/16"	1-3/8"	1-3/4"	1-1/2"
55317	1/8"	9/16"	13/16"	1"	55343	5/32"	1-7/16"	1-3/4"	1-1/2"
55318	1/16"	5/8"	3/4"	1-1/4"	55344	1/8"	1-1/2"	1-3/4"	1-1/2"
55319	3/32"	5/8"	13/16"	1-1/4"	55345	3/16"	1-1/2"	1-7/8"	1-1/2"
55320	1/8"	5/8"	7/8"	1-1/4"	55346	3/16"	1-5/8"	2"	1-1/2"
55321	3/16"	5/8"	1"	1-1/4"	55347	1/8"	1-3/4"	2"	1-1/2"
55322	1/16"	3/4"	7/8"	1-1/4"	55348	3/16"	1-3/4"	2-1/8"	1-1/2"
55323	3/32"	3/4"	15/16"	1-1/4"	55349	3/16"	2"	2-1/4"	1-1/2"
55324	1/8"	3/4"	1"	1-1/4"	55350	3/16"	2"	2-3/8"	1-1/2"
55325	3/32"	13/16"	1"	1-1/4"					

Sizes are approximate. Specifications subject to change without notice.



Farm Hardware

Bushings • Top Links



Lift Arm Bushings

Carbon steel. Yellow zinc dichromate plated finish.

PART#	REFERENCE#	CATEGORY	INSIDE DIAMETER	OUTSIDE DIAMETER	OVERALL LENGTH
66608	0351	1 to 2	7/8"	1-1/8"	1-3/4"
66610	3009	2 to 3	1-1/8"	1-7/16"	1-3/4"
66612	3010	2 to 3	1-1/8"	1-7/16"	2-1/2"



Top Link Bushings

Carbon steel. Yellow zinc dichromate plated finish.

PART#	REFERENCE#	CATEGORY	INSIDE DIAMETER	OUTSIDE DIAMETER	OVERALL LENGTH
66602	0353	1 to 2	3/4"	1"	2"
66604	3008	2 to 3	1"	1-1/4"	2"



Top Links

Carbon steel, forged & welded. With grease fitting, nut welded. Yellow zinc dichromate plated finish. UNC Coarse Thread.



66619EM



66619REA

PART#	REFERENCE#	CATEGORY	HOLE DIAMETER	THREAD DIAMETER	ADJUSTMENT
66619	480	0	5/8"	3/4"	11" – 16"
66620	331	1	3/4"	1-1/8"	21" – 31"
66621	338	1 & 2	3/4" & 1"	1-1/8" & 1-1/4"	21" – 32"
66622	337	2	1"	1-1/8"	25" – 36"
66624	336	2	1"	1-1/8"	21" – 32"
66619EM	--	0	5/8"	3/4"	11" – 16"
66619REA	--	0	5/8"	1-1/8"	9-1/2" - 9-1/2"



Top Link Repair Ends

Carbon steel, forged & welded. Yellow zinc dichromate plated finish. UNC Coarse Thread.

PART#	REFERENCE#	CATEGORY	HOLE DIAMETER	THREAD DIAMETER	THREAD LENGTH
66625	342	1	3/4"	1-1/8" LH	6"
66626	343	1	3/4"	1-1/8" RH	6"
66627	346	2	1"	1-1/8" LH	6-1/2"
66628	347	2	1"	1-1/8" RH	6-1/2"

Sizes are approximate. Specifications subject to change without notice.



Farm Hardware



Ratchet Jack

Heavy duty. Replace hydraulic cylinders or old screw jacks in those applications where infrequent adjustment is needed. Clip pins and handle included.

PART#	A	B	C	THREAD DIAMETER	LENGTH CLOSED	LENGTH EXTENDED
66642	1-1/2"	1"	2-3/4"	1-1/4"	20"	28"



Top Link Pins

Carbon steel, forged & welded. Yellow zinc dichromate plated finish. UNC Coarse Thread.

PART#	REFERENCE#	CATEGORY	PIN DIAMETER	USABLE LENGTH	OVERALL LENGTH
66560	73	1	3/4"	2-3/4"	4-1/2"
66561	74	1	3/4"	3-7/8"	5-1/2"
66562	76	2	1"	3-9/16"	5-1/4"
66563	7715	1	3/4"	4-3/4"	6-3/8"
66565	3011	2	1"	4-5/16"	6"
66566	7711	3	1/4"	4-5/8"	6-1/2"
66567	7706	0	5/8"	3"	4-7/16"



Lift Arm Pins

Carbon steel. Yellow zinc dichromate plated finish.

PART#	REFERENCE#	CATEGORY	PIN DIAMETER	THREAD DIAMETER	USABLE LENGTH	OVERALL LENGTH
66580	200	1	7/8"	7/8"	2-1/4"	5-1/2"
66581	3000	1	7/8"	7/8"	Adjustable	6-1/4"
66582	3004	1	7/8"	7/8"	2-1/4"	6-1/2"
66583	3001	1 to 2	1-1/8"	7/8"	Adjustable	5-3/16"
66584	7243	2 to 3	1-7/16"	1-1/8" NF*	1-7/8"	5-3/4"
66585	202	1 to 2	1-1/8"	7/8"	1-3/4"	5-1/4"
66586	7249	1 to 2	1-1/16"	1" NF*	1-1/8"	8"
66587	3022	2 to 1	7/8"	1-1/8"	1-3/4"	5-3/4"
66588	3006	2	1-1/8"	1-1/8"	1-3/4"	6-1/4"
66589	3002	2	1-1/8"	1-1/8"	Adjustable	6-1/4"
66590	211	1	7/8"	7/8"	Adjustable	5-5/16"
66591	7220	0	5/8"	5/8" NF*	Adjustable	3-7/8"
66592	7246	1 to 2	1-1/8"	7/8" NF*	2-1/4"	6-5/16"



*NF - National Fine

Sizes are approximate. Specifications subject to change without notice.



Farm Hardware

Document Holders



17720



17731



17740

Document Holder (Plastic)

Molded from high density polypropylene, weather and impact resistant. Protects documents from damage. Mounts onto machines for easy access. O-Ring sealed. Screw top lid.

PART#	DESCRIPTION
17720	2" diameter x 12-1/2" long
17730	3-1/4" diameter x 12-1/2" long
17731	Plastic tether that prevents lid loss on manual holders. Simply drill 5/16" hole in center of lid to attach one end of tether.

Document Holder (Aluminum)

Made from corrosion resistant aluminum, Protects documents from the elements.

PART#	DESCRIPTION
17740	1.5" inside diameter x 9" long
17740-1	Rubber cap replacement for 17740



Dynaline offers merchandisers for almost every product. If you are ordering Farm Hardware products then you may be interested in the following Merchandiser. For more information on this merchandiser see the Merchandising Section at the front of the catalogue.

Pins Merchandiser

PART#	CONTENTS
00557	Pins Display Board Only , 24" x 24"
00557K	Full Pins Merchandiser. Includes 00557 display board and 53 pegs and the most popular products.

Hitch Pins Merchandiser

PART#	CONTENTS
00435	Hitch Pins Display Board Only , 24" x 24"
00435K	Full Hitch Pins Merchandiser. Includes 00435 display board and 23 pegs and the most popular products.

Farm packs Merchandiser

PART#	CONTENTS
00620	Farm Packs Display Board Only , 24" x 24"
00620K	Full Farm Packs Merchandiser. Includes 00620 display board and 37 pegs and the most popular products.



Sizes are approximate. Specifications subject to change without notice.

