



Better products for all.

Bungee Products

Ratchet Straps

Cam Straps

Recovery Straps

Winches


Tarp Straps

Heavy Duty Recovery

Tow Straps

Heavy Duty Tow Ropes

Winch Bars



CARGO CONTROL

CARGO CONTROL

Bungee Cords

Industrial, Premium & Ultimate Bungee Cords	1
Bungee Packs	2-3
Bungee Reel	3
Bungee Balls, Hook & Cargo Nets	4

Tarp Straps & Tie Downs

Cold Weather Tarp Strap	4
EPDM Rubber Tarp Strap	5
Ratchet Rope Tie Downs	5
Cam Straps & Packs	6

Ratchet Straps

"J", "S", Flat, Ratchet Strap & Packs	7
"J", Flat, Ratchet Strap Bulk	8
Retractable & Soft Grip	8

Tow & Recovery Straps

Tow Strap w/Hooks	9
Yellow or White Recovery Strap	9
Heavy Duty Recovery Strap	9

Tow Ropes

Tow Ropes	10
Heavy Duty Tow Ropes	10

Winch Bars & Accessories

Winch Bars	11
Cargo Winch	11
Winch Straps	11
Corner Protector	11

Winch

Hand & Electric Winches	12-13
-------------------------------	-------

Replacement Parts

Cable Keeper, Handles & Gears	14
-------------------------------------	----

Achor Points

Mounted, Recessed & Surface Anchors	14-15
--	-------

Load Tighteners

Ratchet Type Load Binders	16
Lever Type Load Binders	16
Load Tighteners	16
Load Binders Locks	16
Cable Type Load Binder Locks	16

BUNGEE CORDS

Used to Secure objects without tying knots and to absorb shock.

Industrial Bungee Cords

Triple the hook strength of other cords. Hardened zinc-plated wire hooks. Sturdy rubber core with a polyester sheath. Packed in poly bag with header card and UPC label.

PART#	DIAMETER	LENGTH	LOAD RATING	COLOUR	PKG. QTY.
12269	3/8"	32"	45 lb	Black	10
12270	3/8"	36"	45 lb	Black	10
12420	3/8"	13"	45 lb	Black	1
12421	3/8"	18"	45 lb	Black	1
12423	3/8"	30"	45 lb	Black	1



Premium Bungee Cords

Made from top quality, long lasting rubber. Covered with an abrasion and sunlight-resistant colored sheath. Hardened vinyl-coated wire hooks. Packed in poly bag with header card and UPC label.

PART#	DIAMETER	LENGTH	LOAD RATING	COLOUR	PKG. QTY.
12400	5/32" (Mini)	10"	7 lb	Black	4
12276	5/16"	36"	33.75 lb	Blue	10
12410	5/16"	13"	22.75 lb	Green	1
12411	5/16"	18"	22.75 lb	Blue	1
12412	5/16"	24"	22.75 lb	Red	1
12413	5/16"	30"	22.75 lb	Yellow	1
12414	5/16"	36"	33.75 lb	Orange	1



Ultimate Bungee Cords

Top quality bungee cord with colored polyester sheath and hardened rubber-coated wire hooks.

PART#	DIAMETER	LENGTH	LOAD RATING	COLOUR	PKG. QTY.
12430	3/8"	6" - 48"	33.75 lb	Silver	1
12431	3/8"	13"	33.75 lb	Green	1
12432	3/8"	18"	22.75 lb	Blue	1
12434	3/8"	30"	22.75 lb	Yellow	1
12435	3/8"	36"	22.75 lb	Orange	1





Premium Bungee Packs

The most popular sizes in an assortment pack. Premium quality bungee cords are made from long lasting rubber covered with an abrasion & sunlight-resistant sheath. Hardened vinyl-coated hooks.

Premium Bungee 8 Pack

PART#	DIAMETER	LENGTH	QTY.
12277	5/16"	13"	2
	5/16"	18"	2
	5/16"	24"	2
	5/16"	30"	2

Premium Bungee 10 Pack

PART#	DIAMETER	LENGTH	QTY.
12260	5/16"	13"	2
	5/16"	18"	2
	5/16"	24"	2
	5/16"	30"	2
	5/16"	32"	2

Premium Bungee 15 Pack

PART#	DIAMETER	LENGTH	QTY.
12261	5/16"	13"	5
	5/16"	18"	4
	5/16"	24"	4
	5/16"	36"	2

Premium Bungee Cord Assortments - 12 Pieces

A convenient selection of colored bungee cords in a transparent plastic tube with cap. Premium bungee cords are made from long lasting rubber covered with an abrasion and sunlight-resistant sheath made of colored polyester. Hardened vinyl-coated wire hooks.

PART#	DIAMETER	LENGTH	COLOUR	QTY.
12441	5/32"	10"	Red	4
	5/16"	18"	Blue	2
	5/32"	24"	Red	4
	5/16"	30"	Yellow	2

Premium Bungee Cord Assortments - 25 Pieces

A convenient selection of colored bungee cords in a transparent plastic tube with cap. Premium bungee cords are made from long lasting rubber covered with an abrasion and sunlight-resistant sheath made of colored polyester. Hardened vinyl-coated wire hooks.

PART#	DIAMETER	LENGTH	COLOUR	QTY.
12442	5/32"	10"	Purple	6
	5/16"	18"	Blue	2
	5/16"	24"	Red	2
	5/16"	30"	Yellow	2
	5/16"	36"	Orange	2
	5/16"	42"	Green	2
4 - 10" Ball, 5/32"				
4 - Adjustable Hooks				
1 - Spider Ring				

Premium Bungee Cord Assortments - 18 Pieces

A convenient selection of colored bungee cords in a clamshell package. Top quality bungee cords are made from long lasting rubber covered with an abrasion and sunlight-resistant sheath made of colored polyester. Hardened vinyl-coated wire hooks.

Dimensions: 9-3/4" L x 9-1/8" W x 3-1/8" D.

PART#	DIAMETER	LENGTH	COLOUR	QTY.
12443	5/32"	8"	Black	2
	5/32"	10"	Black	4
	5/16"	18"	Blue	2
	5/16"	24"	Red	4
	5/16"	30"	Yellow	4
	5/16"	36"	Orange	2



Ultimate Bungee Cord Assortments - 10 Pieces

A convenient selection of colored bungee cords in a clamshell package. Top quality bungee cords are made from long lasting rubber covered with an abrasion and sunlight-resistant sheath made of colored polyester. Hardened vinyl-coated wire hooks.

Dimensions: 12" L x 8-1/8" W x 3-1/2" D.

PART#	DIAMETER	LENGTH	COLOUR	QTY.
12444	5/16"	18"	Blue	2
	5/16"	24"	Red	2
	5/16"	30"	Yellow	1
	5/16"	36"	Orange	1
	5/16"	42"	Green	1
	2 - Adjustable Hooks			
1 - Spider Ring				



Bungee Cord Reels

Industrial quality, black polyester sheath with rubber core in a plastic reel.

PART#	DIAMETER	CORD LENGTH	LOAD RATED
11176	1/4"	216' (65.8 m)	55-66 lb
11177	5/16"	216' (65.8 m)	66-77 lb
11178	3/8"	200' (61 m)	77-88 lb





NEW!



Bungee Balls

Great for securing hoses, cables, and tying down tarps.

PART#

DESCRIPTION

11179

6" elastic cord with plastic ball. 12 per pkg.

Bungee Cord Hooks

Fits 1/4", 5/16" and 3/8" Bungee Cords.

PART#

DESCRIPTION

11174

Fits 1/4", 5/16" and 3/8" Bungee Cords. Vinyl-coated wire hook. Wire diameter 4 mm. 10 per pkg.

Cargo Nets

Keeps smaller items stationary while driving. Elastic cords & plastic hooks.

PART#

SIZE

PKG. QTY.

12300

15" x 15"

1 ea.

12301

15" x 30"

1 ea.

12302

36" x 48"

1 ea.

12303

72" x 96" (Pick-Up)

1 ea.

Cold Resistant Tarp Straps

These brand new Heavy Duty tarp straps are made from TPR material and supplied with two crimped zinc plated S-hooks. More Load Capacity.

PART#

LENGTH

CAPACITY

HOOKS

PKG. QTY.

11295

Heavy Duty 9"

90 lb

S Hooks

10/pkg.

11296

Heavy Duty 15"

90 lb

S Hooks

10/pkg.

11297

Heavy Duty 21"

90 lb

S Hooks

10/pkg.

11298

Heavy Duty 31"

90 lb

S Hooks

10/pkg.

Ratchet Rope Tie Downs

Pulls tight & won't slip. Easy-release thumb lever. High impact plastic housing & die cast hardware. Supplied with braided rope & hook set in a plastic packaging.

PART#	ROPE DIAMETER	ROPE LENGTH	W.L.L.	BOX QTY.
11284	1/4"	8'	150 lb	12
11286	3/8"	8'	250 lb	10

EPDM Rubber Tarp Straps

100% EPDM. (See chart below.) Recommended for commercial and industrial applications. Supplied with two zinc plated S-hooks assembled.

PART#	LENGTH	CAPACITY	QTY.
11191	9"	50 lb	10/pkg.
11192	15"	50 lb	10/pkg.
11193	21"	50 lb	10/pkg.
11194	31"	50 lb	10/pkg.
11299	31" adjustable	50 lb	10/pkg.

EPDM (Ethylene Propylene, EPM)

EPM is a copolymer of ethylene and propylene. Ethylene-propylene-diene rubber (EPDM) is produced using a third monomer and is particularly useful when sealing phosphate-ester hydraulic fluids and in brake systems that use fluids having a glycol base.

Heat Resistance:

- Up to 300° F (149°C) (max. 400° F (204°C) in water and/or steam).

Cold Flexibility:

- Down to approximately -70°F (-57°C).

Chemical Resistance:

- Hot water and steam up to 300° F (149°C) with special compounds up to 400° F (204°C).
- Glycol based brake fluids up to 300° F (149°C).
- Many organic and inorganic acids.
- Cleaning agents, soda and potassium alkalis.
- Phosphate-ester based hydraulic fluids (HFD-R).
- Silicone oil and grease.
- Many polar solvents (alcohols, ketones, esters).
- Ozone, aging and weather resistant.

Not compatible with:

- Mineral oil products (oils, greases and fuels).

Property

EPDM

Abraison Resistance	GE
Acid Resistance	G
Chemical Resistance	E
Cold Resistance	GE
Dynamic Properties	GE
Electrical Properties	G
Flame Resistance	P
Heat Resistance	E
Impermeability	G
Oil Resistance	P
Ozone Resistance	E
Set Resistance	GE
Tear Resistance	GE
Tensile Strength	GE
Water Resistance	E
Weather Resistance	E

E - Excellent	F - Fair
G - Good	P - Poor



11192

NEW!


11299

Tarp Strap Replacement Hook

Industrial quality, black polyester sheath with rubber core in a plastic reel.

PART#	DESCRIPTION	QTY.
66241	3/16" clear zinc-plated S-Hook	10/pkg.
66241B	Bulk Pack	500/box





Cam Straps

Designed for quick and easy operation. High quality, weather-resistant webbing with secure stitching. Vinyl-coated, heat-treated steel hooks.

- Die cast cam buckle.
- One piece per clamshell package.

PART#	SIZE	W.L.L.	U.L.L.	COLOUR	WEBBING
11182	1" x 6'	400 lb	1,200 lb	Blue	Polyester
11185	1" x 10'	400 lb	1,200 lb	Blue	Polyester
12180	1" x 10'	100 lb	300 lb	Red	Polypropylene
12191	1" x 15'	250 lb	750 lb	Black	Polyester
12195	1" x 15'	250 lb	750 lb	Camo	Polyester

Cam Strap Twin Packs

Two Cam Straps in a clamshell package.

PART#	SIZE	W.L.L.	U.L.L.	COLOUR	WEBBING
12327	1" x 6'	250 lb	750 lb	Camo	Polyester

Cam Strap Four Packs

Four Cam Straps in a clamshell package.

PART#	SIZE	W.L.L.	U.L.L.	COLOUR	WEBBING
12331	1" x 6'	250 lb	750 lb	Red	Polyester
12332	1" x 6'	250 lb	750 lb	Black	Polyester
12333	1" x 6'	250 lb	750 lb	Camo	Polyester

Tie Down Combos

A convenient selection of multi-purpose Cam & Ratchet Straps.
4-pcs. per clamshell.

PART#	SIZE	W.L.L.	U.L.L.	COLOR	WEBBING	STRAP
12335	1" x 10'	250 lb	750 lb	Black	Polyester	Cam
	1" x 15'	400 lb	1,200 lb	Black	Polyester	Ratchet

RATCHET STRAPS

Designed for quick and easy operation. High quality, weather-resistant webbing with secure stitching and steel ratchet.

- High Carbon Steel Ratchet.
- One piece per retail package.

Ratchet Straps with S-Hooks (Vinyl-Coated)

PART#	SIZE	W.L.L.	U.L.L.	COLOUR	WEBBING
11183	1" x 15'	400 lb	1,200 lb	Blue	Polyester
12206	1" x 15'	166 lb	500 lb	Red	Polypropylene
12207	1" x 15'	166 lb	500 lb	Black	Polypropylene
12220	1" x 15'	400 lb	1200 lb	Red	Polyester
11184	1" x 20'	1,000 lb	3,000 lb	Yellow	Polyester

Ratchet Straps - Double "J" Hooks

PART#	SIZE	W.L.L.	U.L.L.	COLOUR	WEBBING
11189	1" x 15'	600 lb	1,800 lb	Blue	Polyester
12340	1" x 15'	1,000 lb	3,000 lb	Yellow	Polyester
11187	1" x 20'	1,000 lb	3,000 lb	Yellow	Polyester
12341	2" x 15'	1,300 lb	4,000 lb	Yellow	Polyester
12342	2" x 25'	1,300 lb	4,000 lb	Yellow	Polyester
12230	1-1/2" x 15'	2,200 lb	6,600 lb	Yellow	Polyester
11186	1-1/2" x 25'	2,200 lb	6,600 lb	Yellow	Polyester
11190	2" x 27'	3,300 lb	10,000 lb	Yellow	Polyester
12343	2" x 30'	3,300 lb	10,000 lb	Yellow	Polyester
12346	2" x 20'	3,300 lb	10,000 lb	Yellow	Polyester

Ratchet Straps with Flat Hooks

PART#	SIZE	W.L.L.	U.L.L.	COLOUR	WEBBING
12353	2" x 20'	3,300 lb	10,000 lb	Yellow	Polyester
12354	2" x 25'	3,300 lb	10,000 lb	Yellow	Polyester
12344	2" x 30'	3,300 lb	10,000 lb	Yellow	Polyester

Ratchet Straps with S-Hooks - Twin Packs

Two medium duty Ratchet Straps in a clamshell package. Vinyl-coated, heat-treated steel hooks.

PART#	SIZE	W.L.L.	U.L.L.	COLOUR	WEBBING
12226	1" x 6'	400 lb	1,200 lb	Black	Polyester
12228	1" x 6'	400 lb	1,200 lb	Camo	Polyester

Ratchet Straps with S-Hooks - Four Packs

Four medium duty Ratchet Straps in a clamshell package. Vinyl-coated, heat-treated steel hooks.

PART#	SIZE	W.L.L.	U.L.L.	COLOUR	WEBBING
12320	1" x 15'	400 lb	1,200 lb	Black	Polyester
12321	1" x 15'	400 lb	1,200 lb	Red	Polyester
12322	1" x 15'	400 lb	1,200 lb	Camo	Polyester



NEW!

Ratchet Straps - Bulk

High quality polyester webbing, secure stitching, steel ratchet, heat treated steel hooks, EZ Release ratchet buckle with caps.

- Comes with load rating on hardware and webbing.
- Individually shrink-wrapped.

PART#	SIZE	W.L.L.	U.L.L.	COLOR	HOOK TYPE
11183B	1" x 15'	400 lb	1,200 lb	Blue	"S", vinyl coated
11186B	1-1/2" x 15'	2,000 lb	6,000 lb	Yellow	Double "J"
11189B	1" x 15'	600 lb	1,800 lb	Blue	Double "J"
11190B	2" x 27'	3,300 lb	10,000 lb	Yellow	Double "J"
12343B	2" x 30'	3,300 lb	10,000 lb	Yellow	Double "J"
12344B	2" x 30'	3,300 lb	10,000 lb	Yellow	Flat Hook
12229B	1" x 6'	3,300 lb	10,000 lb	Yellow	Flat Hook
12353B	2" x 20'	3,300 lb	10,000 lb	Yellow	Flat Hook
12354B	2" x 25'	3,300 lb	10,000 lb	Yellow	Flat Hook

Retractable Tie Downs with Hooks

Rubber handle. Bulkpack polybags. Vinyl-coated, heat-treated steel hooks. No more loose ends!

PART#	SIZE	W.L.L.	U.L.L.	COLOR	HOOK TYPE
12370	1" x 15'	500 lb	1,500 lb	Red	"S", vinyl coated
12371	1" x 15'	500 lb	1,500 lb	Black	Double "J"

SOFT GRIP RATCHET STRAPS

Heavy duty, weather-resistant nylon webbing.

- "Soft Grip" steel ratchet.
- Steel hooks.

Soft Grip Ratchet Straps - S- Hooks

PART#	SIZE	W.L.L.	U.L.L.	COLOR
12361	1" x 15'	500 lb	1,500 lb	Red

Soft Grip Ratchet Straps - Double "J" Hooks

PART#	SIZE	W.L.L.	U.L.L.	COLOR
12363	1-1/2" x 15'	2,000 lb	6,000 lb	Yellow
12365	2" x 40'	3,500 lb	10,000 lb	Yellow

Tow Straps

Heavy duty yellow nylon webbing. Steel hook with safety latches.

PART#	SIZE	TOWING CAPACITY
11197	2" x 15'	5,000 lb
12297	2" x 15'	8,500 lb



Yellow Recovery Straps

Heavy duty yellow nylon webbing. Loop ends. Reinforced eye.

PART#	SIZE	MAX. VEHICLE WEIGHT	MAX. STRENGTH
12291	4" x 20'	17,500 lb (7,945 kg)	35,000 lb (15,890 kg)
12292	6" x 20'	27,500 lb (12,485 kg)	55,000 lb (24,970 kg)



White Recovery Straps

White polyester webbing. Reinforced loop ends.

PART#	SIZE	MAX. VEHICLE WEIGHT	MAX. STRENGTH
50915	1" x 15'	3,750 lb (1,703 kg)	7,500 lb (3,504 kg)
50920	2" x 20'	9,000 lb (4,086 kg)	18,000 lb (8,172 kg)
50921	3" x 20'	13,500 lb (6,129 kg)	27,000 lb (12,258 kg)
50922	4" x 20'	17,500 lb (7,945 kg)	35,000 lb (15,890 kg)
50930	4" x 30'	17,500 lb (7,945 kg)	35,000 lb (15,890 kg)
50932	2" x 30'	9,000 lb (4,086 kg)	18,000 lb (8,172 kg)



NEW!

Heavy Duty Recovery Straps

Heavy duty, 2 ply, weather resistant polyester, with reinforced loop ends.

- Load Capacity imprinted on webbing.

PART#	SIZE	MAX. VEHICLE WEIGHT	MAX. STRENGTH
50935	2" x 20'	18,000 lb (8,165 kg)	36,000 lb (16,329 kg)
50936	4" x 20'	27,000 lb (12,247 kg)	54,000 lb (24,493 kg)
50937	4" x 30'	27,000 lb (12,247 kg)	54,000 lb (24,493 kg)
50938	6" x 20'	40,000 lb (18,144 kg)	80,000 lb (36,287 kg)
50939	6" x 30'	40,000 lb (18,144 kg)	80,000 lb (36,287 kg)



NEW!

TOW ROPES

Tow Ropes

20 Feet - White nylon with double end looped connection.

- Individually banded and shrink wrapped.

PART#	DIAMETER	MAX. VEHICLE WEIGHT	MAX. STRENGTH
12200	3/4"	7,100 lb	14,200 lb
12201	1"	12,500 lb	25,000 lb
12203	1-1/4"	18,750 lb	37,500 lb

Heavy Duty Tow Ropes

30 Feet - Heavy duty tow ropes.

- Double ended loop connection.

- 8 white nylon braided strands.

- Individually packaged.

PART#	DIAMETER	MAX. VEHICLE WEIGHT	MAX. STRENGTH
12208	2-3/8"	56,000 lb	112,000 lb
12209	2-3/4"	75,000 lb	150,000 lb
12210	3-1/8"	97,500 lb	195,000 lb

DYNALINE CORNER PROTECTORS - PAGE 11



WINCH BARS

Winch Bar - Type A

PART#	DESCRIPTION
12245	Features knurled non-slip handle & carbon steel tip. 35" length.

Winch Bar - Type C

PART#	DESCRIPTION
12246	Features knurled handle for safe grip. Hardened, ribbed nose to add strength and prevent slippage. 37" length.

Cargo Winch - 3 Bar

Fits 4" winch straps.

PART#	DESCRIPTION	TYPE	W.L.L.
12284	Standard	Slide On	5,000 lb
12285	Low Profile	Weld-On	5,000 lb

Winch Truck Straps

Strong, weather-resistant nylon webbing with secure stitching and a variety of steel hooks. To be used with our Lashing and Cargo Winches.. Load Capacity imprinted on webbing.

PART#	SIZE	W.L.L.	MAX. LOAD	COLOR	HOOK TYPE
12240	2" x 30'	3,300 lb	10,000 lb	Yellow	Delta Ring
12242	4" x 30'	5,400 lb	16,200 lb	Yellow	Flat Hook
12243	4" x 30'	5,400 lb	16,200 lb	Yellow	D-Ring
12247	4" x 40'	5,400 lb	16,200 lb	Yellow	D-Ring
12248	4" x 40'	5,400 lb	16,200 lb	Yellow	Flat Hook
12249	4" x 40'	5,400 lb	16,200 lb	Yellow	J-Hook

Corner Protector

White plastic corner protector. Individually labeled and wrapped in sealed plastic bag. Accommodates up to 4" straps.

PART#	SIZE	COLOR	BOX QTY
12235	4"	White	90



NEW!




NEW!



NEW!





11344



11300



11308

HAND WINCHES

Hand-cranked manual winches multiply your strength, allowing you to pull a relatively heavy load against gravity.

Larger models have a lower gear ratio to multiply your strength even more.

Winches also have a ratchet to hold the load at any point so it doesn't slide back, allowing a normal person to move a load, using a crank about a foot long and simple gearing.

*** Load Capacity is based on direct line pull on the first layer of line on the drum. Capacity decreases as line builds up on the drum.**

WARNING: WINCHES ARE NOT FOR THE MOVEMENT OF HUMANS OR FOR HOISTING LOADS OVER AREAS OCCUPIED BY HUMANS.

Hand Winch - Dual Drive

Dual drive feature distributes the load evenly on the drum. To be used with steel cable. Winch drums are drilled for use with winch straps.

- Can be mounted vertically or horizontally.
- Solid carbon steel gears.
- Baked enamel painted finish.
- Supplied with grip handle & cable keeper.

PART#	LOAD CAPACITY*	GEAR RATIO
11344	3,200 lb	5.1:1 / 12:1
11345	3,700 lb	12.1:1

Hand Winches - General Purpose

- Solid carbon steel gears.
- Embossed frame for added strength.
- Baked black enamel painted finish.
- Supplied with grip handle and cable keeper. Two-way Ratchet.

PART#	DESCRIPTION	LOAD CAPACITY*	GEAR RATIO	REPAIR KIT	HANDLE
11300	1-speed	600 lb	3:01	---	---
11301	1-speed	850 lb	3:01	11331	11321
11303	1-speed	1,200 lb	4:01	11333	11323
11304	1-speed	1,400 lb	4:01	11334	11324
11305	2-speed	2,000 lb	4:1 / 10:1	11335	11325
11306	2-speed & hand brake	2,500 lb	5:1 / 12:1	11336	11326

Hand Winches - Auto Brake

Keeps loads automatically locked in position when handle is released. (Note: Minimum load required to activate brake mechanism).

- Baked black enamel painted finish.
- Supplied with grip handle & cable keeper.

PART#	LOAD CAPACITY*	GEAR RATIO	REPAIR KIT	HANDLE
11308	1,400 lb	4:01	11338	11328
11309	2,000 lb	12:1	---	---
11310	2,500 lb	12:1	---	---

Hand Winches - Worm Gear

Self-braking mechanism prevents loads from accidentally running free. The load remains fixed in position when handle is released.

- Baked enamel painted finish.
- Color box packaging.
- Supplied with cable keeper.

PART#	LOAD CAPACITY*	GEAR RATIO
11312	2,000 lb	41:1



Portable 12V Electric Winch

With 2000 lbs pulling capacity and 16' power cord. 6 Feet per minute loaded line speed. 1/4" Safety slip hook with latch. 8.9" x 4.4" x 1.25"

- Mounting plate.
- Manual hand crank.
- Wireless remote control.

PART#	CABLE DIAMETER	LENGTH	HOOK	MOUNTING PLATE
11350	3/16"	30"	1/4" Safety Slip Hook w/Latch	8.9" x 4.4" x 1.25"

ROLLING CAPACITY	BOAT CAPACITY	PULLING CAPACITY	LOADED LINE SPEED
6,000 lb	5,000 lb	2,000 lb	6'/Minute



Approximate cable lengths based on popular cable sizes.

PART#	DESCRIPTION	1/8"	3/16"	1/4"	5/16"	3/8"
11300	Hand Winch, 600 lb	—	10M/32'	—	—	—
11301	Hand Winch, 800 lb	20M/65'	10M/32'	15M/49'	—	—
11303	Hand Winch, 1200 lb	25M/82'	20M/65'	20M/65'	—	—
11304	Hand Winch, 1400 lb	25M/82'	20M/65'	20M/65'	—	—
11305	Hand Winch, 2000 lb	—	20M/65'	20M/65'	15M/49'	10M/32'
11306	Hand Winch, 2500 lb	—	45M/150'	30M/98'	20M/65'	15M/49'
11308	Auto Brake Winch, 1400 lb	25M/82'	20M/65'	20M/65'	—	—
11309	Auto Brake Winch, 2000 lb	—	45M/150'	30M/98'	20M/65'	15M/49'
11310	Auto Brake Winch, 2500 lb	—	45M/150'	30M/98'	20M/65'	15M/49'
11312	Worm Gear Winch, 2000 lb	—	—	25M/65'	—	—
11344	Hand Winch Dual Drive, 3200 lb	—	45M/150'	30M/98'	20M/65'	15M/49'
11345	Hand Winch Dual Drive, 3200 lb	—	45M/150'	30M/98'	20M/65'	15M/49'



Replacement Cable Keeper

PART#	DESCRIPTION
11311	Holds steel cable onto winch drum.



11321


General Purpose Handles

PART#	DESCRIPTION	LOAD CAPACITY*	GEAR RATIO	FOR PART#
11321	1-speed	800 lb	3:01	11301
11323	1-speed	1,200 lb	4:01	11303
11324	1-speed	1,400 lb	4:01	11304
11325	2-speed	2,000 lb	4:1 / 10:1	11305
11326	2-speed	2,500 lb	5:1 / 12:1	11306
11328	Auto-Brake	1,400 lb	4:01	11308



General Purpose Repair Kits

PART#	DESCRIPTION	LOAD CAPACITY*	GEAR RATIO	FOR PART#
11331	1-speed	800 lb	3:01	11301
11333	1-speed	1,200 lb	4:01	11303
11334	1-speed	1,400 lb	4:01	11304
11335	2-speed	2,000 lb	4:1 / 10:1	11305
11336	2-speed	2,500 lb	5:1 / 12:1	11306



Auto Brake Repair Kit

PART#	DESCRIPTION
11338	Repair kit for Part# 11308



Anchor Points

Fits most full-size and compact light trucks with or without a bed liner.
Chrome plated finish.

PART#	DESCRIPTION
11166	Fits most full-size and compact light trucks with or without a bed liner.

Anchor Rings

Zinc plated finish.

PART#	LENGTH	WIDTH	CAPACITY	PKG. QTY.
12250	1-1/2"	1"	900 lb	2
12253	2-3/8"	2-3/8"	11,000 lb	1

Recessed Anchor Rings

Surface mount. Zinc plated finish.

PART#	WIDTH	CAPACITY
12251	3-1/2"	1,200 lb

Heavy Duty Recessed Anchor Rings

Surface mount. Zinc plated finish.

PART#	WIDTH	CAPACITY
12252	4-7/16"	5,000 lb

Standard Recessed Anchor

Surface mount. Zinc plated finish.

PART#	WIDTH	CAPACITY
12254	2-3/4"	770 lb

Rotating Recessed D-Ring Anchor

Surface mount. Zinc plated finish.

PART#	WIDTH	CAPACITY
12256	6-1/4"	5,000 lb

Surface Mount Anchor

Surface mount. Zinc plated finish.

PART#	WIDTH	CAPACITY
12257	4-1/4"	1,200 lb

Pop-Up Anchor Point

Surface mount. Zinc plated finish.

PART#	DIAMETER	CAPACITY
12258	4-1/4"	1,200 lb

Standard Recessed Anchor

Surface mount. Chrome plated finish.

PART#	WIDTH	CAPACITY
12259	3-3/8" x 2-1/4"	5,000 lb





LOAD TIGHTENERS AND BINDERS

Ratchet Type Load Binders

Forged steel. Painted finish.

PART#	CHAIN	TAKE UP	W.L.L.	U.L.L.
66196	1/4" – 5/16"	5"	2,600 lb	7,800 lb
66197	5/16" – 3/8"	8"	5,400 lb	19,000 lb
66198	3/8" – 1/2"	8"	9,200 lb	33,000 lb
66199	1/2" – 5/8"	9"	13,000 lb	46,000 lb

Lever Type Load Binders

Forged steel. Painted finish.

PART#	CHAIN	TAKE UP	W.L.L.	U.L.L.
66203	1/4" – 5/16"	3.62	2,600 lb	7,800 lb
66204	5/16" – 3/8"	4.25	5,400 lb	19,000 lb
66202	3/8" – 1/2"	4.25	9,200 lb	33,000 lb

Load Tighteners

Painted finish.

PART#	CHAIN	TAKE UP	HANDLE	W.L.L.	U.L.L.
66200	3/16" – 1/4"	3-3/8"	Dixie Style	375 lb	1,500 lb
66201	3/16" – 1/4"	3-3/8"	Dominion Style	250 lb	1,000 lb



LOAD TIGHTENERS AND BINDERS

Load Binder Locks

PART#	DESCRIPTION
66205	Eliminates load binder release. Two width adjustments. Orange comes with tabquick pin.
66205-24	Display box. 24 pieces/pkg.
66461	Replacement Pin, 1/4" x 1-3/4".



Cable Type Load Binder Locks

Small diameter galvanized cable with aluminum stops and bracket. Lockable with padlock.

PART#	CABLE DIAMETER	LENGTH	PACKAGE QUANTITY
61205	1/8"	10"	400 pieces/carton
62205	3/16"	11"	300 pieces/carton



WARNING!

NEVER EXCEED WORKING LOAD LIMITS!

Always inspect load binders prior to use and replace when signs of wear occur.

- Do Not use handle extensions (cheater bars) for tightening.
- Load Binder must not bear against an object while under tension.
- Do Not operate load binders while you or anyone else is standing on the load.
- Always tighten handle in a downward manner, making sure to keep your body clear of moving handle, as it may whip.
- Always secure position of binder by wrapping the loose end of chain around handle.
- Do Not close your hand around handle.

FAILURE TO FOLLOW INSTRUCTIONS CAN RESULT IN SERIOUS INJURY!



